

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>7</sup> : <b>A01N 35/02</b>	<b>A1</b>	(11) International Publication Number: <b>WO 00/19822</b>
		(43) International Publication Date: 13 April 2000 (13.04.00)

(21) International Application Number: PCT/GB99/03107

(22) International Filing Date: 17 September 1999 (17.09.99)

(30) Priority Data:  
9821693.0 6 October 1998 (06.10.98) GB(71) Applicant (for all designated States except US): QUEST  
INTERNATIONAL B.V. [NL/NL]; Huizerstraatweg 28,  
NL-1411 GP Naarden (NL).

(72) Inventors; and

(75) Inventors/Applicants (for US only): BEHAN, John, Mar-  
tin [GB/GB]; The Forge, The Green, Boughton Alulph,  
Ashford, Kent TN25 4JB (GB). BIRCH, Richard, Arthur  
[GB/GB]; 38 Martello Drive, Hythe, Kent CT21 6PJ (GB).(74) Agent: KEITH W. NASH & CO.; 90-92 Regent Street,  
Cambridge CB2 1DP (GB).(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG,  
BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, EE, ES, FI,  
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,  
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG,  
MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE,  
SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN,  
YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD,  
SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG,  
KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY,  
DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT,  
SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW,  
ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: INSECT REPELLENTS

(57) Abstract

The use of selected perfume ingredients, named herein, as insect repellents, usually by application to a substrate or into an air space. A useful composition comprises a mixture of at least one of the perfume ingredients with known perfume components or with a known insect repellent or a compound shown to be an effective insect repellent on a test described herein.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

## INSECT REPELLENTS

**Field of Invention**

The present invention relates to the use of certain perfume ingredients as an insect repellent, to compositions containing the perfume ingredients and to a method of repelling insects.

**Background**

Insects have long been known as a nuisance and, for some insect genera, as a health hazard. Mosquitoes, for instance, are a proven vector of diseases, and the genus *Aedes* in particular is associated with yellow fever, dengue, encephalitis and malaria (*Encyclopaedia Britannica*). Although the problems may be reduced at source with the use of DDT and other chemical sprays in the breeding areas, fears over the persistence of chlorchemicals combined with increasing mosquito resistance to control chemicals (e.g. insecticides) have led to a reappraisal of the magnitude of the nuisance and the hazard. Physical barriers to the insects are not always possible, e.g. in the open air, where some form of personal repellent is necessary.

It is also a feature of recent times that the more environmentally-aware public tend to question the safety of many chemicals which were formerly taken for granted. One of these is the well-known personal insect repellent *N,N*-diethyl-*m*-toluamide (abbreviated as DEET, and commercially available as Delphone<sup>TM</sup>). This was originally seen as the natural successor to the parent molecule, *N,N*-diethylbenzamide which was found to be strongly insect repellent but also irritating to human skin (McCabe et al., (1954), *J. Org Chem.* 19, 493-498). Fears over possible allergenicity, disclosed in European Patent Application EP-A-0 167 266 (Angus Chemical Company), as well as aversion to some of the physical properties of this compound such as oiliness and odour, have led to the search for less hazardous and more aesthetically acceptable methods of repelling insect pests, particularly mosquitoes.

**Review of the prior art**

Certain compounds have long been known to possess insect deterrent properties, some of this information coming from what might be termed "folk knowledge". These materials include widely-known substances such as Citronella, Tolu and Peru Balsams, Eucalyptus oils, Huon Pine and other similar oils [M. Bouvier, International Frag. Co-ord. 29 October 1976]. Other materials known for their deterrent properties include those having camphoraceous odours, such as Camphor itself, Cypress oils, Galbanum etc. [H&R Contact, 36, 1984].

Perfume ingredients with insect repellent properties used either alone, or in a perfume composition, and/or in some form of carrier or base overcome many of the problems highlighted above.

Many common types of household insects such as American cockroaches (*periplaneta americana*) are classified as pests and significant effort has been made to control or eradicate them. A variety

of chemicals that are effective in repelling cockroaches has been discovered. These chemicals are used in the household by applying or spraying them to surfaces of walls, floors, cabinets, containers, rugs, upholstery and carpeting, and in potential nesting places for insects, such as inside walls and between floors. They have been used together with hardsurface cleaners  
 5 (EP-A-0 619 363) and wax floor polishes (US-A-3 018 217).

It is known in the art that organic materials and essential oils can be repellent against insects. In the art this has been measured in a variety of ways with different insects. The majority of the prior art has been directed towards mosquitoes and in particular the species *aedes aegyptii*. The results of  
 10 these studies has led to a list of preferred materials. Surprisingly we have found that additional perfume ingredients, preferably when used above certain limits in perfume compositions can lead to enhanced insect repellency.

PCT Application WO 96/08147 discloses the use of a number of different compounds as insect  
 15 repellents and also a method by which the repellency of compounds to insects can be reliably tested.

### Summary of the Invention

20 It has now been surprisingly found that a number of perfume ingredients are effective insect repellents.

Accordingly, the present invention provides the use of at least one perfume ingredient selected from the group consisting of

- 25 Citral diethyl acetal (Citralthal\*),
- Tricyclodecenyl allyl ether (also known as 8-(allyloxy)tricyclo[5.2.1.0<sup>2,6</sup>]dec-3-ene) [Fleuroxene\*],
- 2-(2-methylpropyl)-4-hydroxy-4-methyltetrahydropyran [Florosa\*],
- N-methyl-N-phenyl-2-methylbutanamide [Gardamide\*],
- 4-isobutyrate-3-methoxybenzaldehyde [Isobutavan\*],
- 30 1-hydroxy-2-methoxy-4-propenylbenzene [Isoeugenol\*],
- 2,2,7,7-tetramethyltricyclo[6.2.1.0<sup>1,6</sup>]undecan-5-one [Isolongifolanone\*],
- 7-formyl-5-isopropyl-2-methylbicyclo[2.2.2]oct-2-ene [Maceal\*],
- 3-methyl-5-phenyl-1-pentanal [Mefranal\*],
- alpha iso methyl ionone (also known as 4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-methyl-3-buten-2-
- 35 one),
- myrcenyl acetate (also known as 2-methyl-6-methylene-7-octen-2-yl acetate) [Neobergamate\*],
- 10-isopropyl-2,7-dimethyloxaspiro[4.5]3,6-decadiene [Neocaspirene\*],
- tricyclo[5.2.1.0<sup>2,6</sup>]dec-4-en-8-yl 2,2-dimethylpropanoate (Pivacyclene\*),
- 2-phenylethyl pivalate (also known as phenylethyl-2,2-dimethylpropanoate) [Pivarose\*]

and 2,4-dimethyl-4-phenyltetrahydrofuran [Rhubafuran\*]  
as an insect repellent. (\*trade marks)

5 In another aspect, the invention provides a method of repelling insects from an object or an  
airspace, comprising application to the object or into the airspace, of an effective amount of at least  
one perfume ingredient selected from the group consisting of the aforementioned perfume  
ingredients. Typically, the object is a human body or a solid surface such as a wall or floor.

10 The perfume ingredients from the aforementioned list which are more effective as insect repellents  
are those which have an octanol-water partition coefficient such that "log P" has a value in the  
range from 1.0 to 6.0, more preferably 2.0 to 5.0, and particularly 2.5 to 4.5. "log P" is the common  
logarithm of the octanol-water partition coefficient and is well known in the literature as an indicator  
of hydrophobicity and water solubility (see Hansch and Leo, Chemical Reviews, 526 to 616 (1971),  
71 and Hansch, Quinlan and Lawrence J. Organic Chemistry, 347 to 350 (1968), 33). Where such  
15 values are not available in the literature they may be measured directly or approximately estimated  
using mathematical algorithms. Software providing such estimates is available commercially, for  
example 'LogP' from Advanced Chemistry Design Inc.

20 In addition, those perfume ingredients which are more effective as insect repellents have a "Kovats"  
index value in the range from 1150 to 1650, more preferably 1250 to 1600, and particularly 1300 to  
1560. Kovats indices are calculated from the retention time in a gas chromatographic measurement  
referenced to the retention time for alkanes (see Kovats, Helv. Chim. Acta 41, 1915 (1958)). Indices  
based on the use of a non-polar stationary phase have been used in the perfumery industry for  
some years as a descriptor relating to the molecular size and boiling point of ingredients. A review  
25 of Kovats indices in the perfume industry is given by T Shibamoto in "Capillary Gas  
Chromatography in Essential Oil Analysis", P Sandra and C Bicchi (editors), Huethig (1987), pages  
259 to 274. A common non-polar phase which is suitable is 100% dimethyl polysiloxane, as  
supplied, for example, under a variety of trade names such as HP-1 (Hewlett Packard), CP Sil 5 CB  
(Chrompak), OV-1 (Ohio Valley) and Rtx-1 (Restek).

30

A further property of the aforementioned perfume ingredients which confers good performance as  
an insect repellent is a capability of forming hydrogen bonds of greater than 60 on the Koppel Pal'm  
scale (J. Chem. Soc. Perkin Trans. 2, 1976, pp 1628).

35 The insect repellent perfume ingredients described herein are preferably used in a composition,  
more preferably in a perfume composition, preferably at a concentration of at least 10%, more  
preferably at least 30%, and particularly at least 50% by weight. The composition used in the  
invention comprises at least one, and, more preferably, 3 or 4 of the perfume ingredients described  
herein. The individual perfume ingredients are preferably present at a concentration in the range

from 0.1% to 40%, more preferably, 0.5% to 20% by weight. The perfume composition may contain other known insect repellents, preferably of previously known insect repellent perfume ingredients, preferably at a concentration of at least 10%, more preferably at least 30%, and particularly at least 50% by weight.

5

Compositions containing more than one of the aforementioned insect repellent perfume ingredients preferably contain at least one such perfume ingredient having a "log P" value in the range 1.0 to 6.0 or at least one such perfume ingredient having a Kovats index in the range 1150 to 1650, as hereinbefore defined, or at least one such perfume ingredient capable of forming hydrogen bonds of greater than 60 on the Koppel Pal'm scale.

10

Preferably, the perfume ingredients described herein are used to repel insects, such as mosquitoes, particularly members of the genus *Aedes* and cockroaches.

15 Compositions used in accordance with the invention preferably constitute, or comprise, personal products or cosmetics for use on the skin and/or hair. Examples of such products include fine fragrances, colognes, skin creams, skin lotions, deodorants, talcs, bath oils, soaps, shampoos, hair conditioners and styling agents.

20 Alternatively, compositions used in accordance with the invention may constitute, or be comprised in, household products such as: air fresheners (including "heated" air fresheners in which insect repellent substances are released upon heating, e.g. electrically, or by burning [e.g. joss-sticks, candles]); hard surface cleaners; or laundry products (e.g. laundry detergent-containing compositions, conditioners).

25

Preferably the cosmetics, personal products and household products defined above comprise between 0.1% and 20%, more preferably 0.2% to 10% by weight of a composition used in accordance with the invention.

30 The compositions used in the invention may comprise additional materials to produce desired products such as pleasing perfumes with useful repellent activity. Other materials which may be present in the compositions (at concentrations from 0 to 99.95 % w/w) include fragrances, solvents, diluents and fixatives known in the art, such as:

35 Aldehyde C11 (Undecylenic Aldehyde); Aldehyde iso C11 (GIV); Allspice oil; Allyl cyclohexyl propionate; Amyl salicylate; Amylcinnamic aldehyde; Anethole; Anisic alcohol; Anisic aldehyde; Applinal (Q); Bay oil; Benzyl acetate; Benzyl benzoate; Benzyl cinnamate; Benzyl propionate; Benzyl salicylate; Bourgeonal (Q); Brahmanol; Camphor powder synthetic; Cedarwood Virginian; Cedrenol; Cedryl acetate; Celestolide (IFF); Cineole; Cinnamic alcohol; cinnamic aldehyde; Cinnamon Leaf Oil; Cinnamyl acetate; cis-3-Hexenol; Citral; Citronella oil; Citronellal; Citronellol;

Citronellyl acetate; Citronellyl oxyacetaldehyde; Clove oil; Coriander oil; Coumarin; Cuminic aldehyde; Cyclamen aldehyde; Decanal; 9-Decenol; Dibenzyl ether; Dibutyl phthalate; Diethyl Phthalate; Dihydromyrcenol; Dimethyl anthranilate; Dimethyl phthalate; Dimyrcetol (IFF); diphenylmethane; Diphenyl oxide; Dimethyl benzyl carbonyl acetate; Dodecanol; Dodecanal; Elemi oil; Ethyl methyl phenyl glycidate; Ethyl cinnamate; Ethyl safranate (Q); ethyl vanillin; Eugenol; Evergreen oils (Pine oils etc.); gamma-Nonalactone; gamma-undecalactone; Geraniol; Geranium bourbon; Geranyl acetate; Geranyl formate; Gum Benzoin; Heliotropin; Hercolyn D (HER); Hexyl benzoate; Hexylcinnamic aldehyde; Hydratropic aldehyde dimethyl acetal; Hydroxycitronellal; Hydroxycitronellal dimethyl acetal; Indole; iso Bornyl acetate; Isopropyl myristate; Iso-cyclocitral (GIV, IFF); Jasmacyclene; Jasmin oil; Lavandin Abrialis; Lavender oil; Lilial (GIV); Linalol; Linalyl acetate; Menthol Laevo; Methyl anthranilate; Methyl cedryl ketone; Methyl dihydrojasmonate; Methyl ionone; Methyl myristate; Methyl naphthyl ketone; Methyl salicylate; Moss treemoss; Musk ketone; Nerol; Nerolin Bromelia; Neryl acetate; Nonanal; Oakmoss absolute; Octanol Olibanum resionoid; para-Cresyl phenylacetate; para-Methoxyacetophenone; Patchouli oil; Peppermint oil; Petitgrain oil; 2-Phenoxyethanol; Phenoxyethyl iso butyrate; Phenylethylacetate; Phenylethyl alcohol; Phenylethyl butyrate; Phenylethyl phenylacetate; Pimento oil; Pinene, alpha; Para-tert. butyl-cyclohexyl acetate; Resinoid Benzoin Siam; Rose oil; Rosemary oil; Sandalwood oil; terpeneol; Tetrahydrolinalol; Tetrahydromuguol (IFF); Thyme Red; Undecanal; Vanillin; Verbena oil; Vetyvert Bourbon; Yara and Ylang ylang.

20

Compounds are obtainable from the suppliers as indicated below: for those compounds labelled "(Q)", - Quest International, "(IFF)" - International Flavours & Fragrances, Inc., "(GIV)" - Givaudan, "(HER)" - Hercules B.V.

25

Other active and non-active materials may be present, such as:

acidic mucopolysaccharides and their salts, Aesculus hippocastanum, aloe barbadensis Mill (Aloe Vera Linne),  $\alpha$ -hydroxycarboxylic acids,  $\alpha$ -ketocarboxylic acids, amide derivatives, amino acids, amphiphilic cyclodextrin derivatives,  $\beta$ -sitosterol, carboxy vinyl polymer water soluble salts, carboxymethyl cellulose, carrageenan, chitin, chitosan, cholesterol, cholesterol fatty acid ester, collagen, dicarboxylic acid monostearyl esters, di-fatty acid glycerol esters, digalactosyl diglyceride, ersterol, ethanol, extract of Swertia japonica Makino, fatty acids, fatty acid citrate esters, fatty alcohols, ginseng extract, glucose esters of higher fatty acids, guar gum, gum arabic, Hamamelidaceae (Hamamelis Virginiana Witch hazel), hyaluronic acid, hydroxycholesterol, hydroxybenzoic acids, isomaltose, isopropyl alcohol, lactose, lanosterol, lipids extracted from the biomass of microorganisms, yeasts, moulds and bacteria, liposomes, locust bean gum, low molecular acidic mucopolysaccharides and their salts, low molecular weight humectant components, maltose, mineral oils, mineral powders, mono cis alkenoic acid, mucopolysaccharides, mycosterol, N-acyl lysines, N-isostearyl lysine, N-lauroyl lysine, N-myristyl lysine, N-palmitoyl lysine, N-stearoyl lysine, sodium type bentonite, natural or synthetic amino acid with protein or

35

peptide bonds, NMF ingredients, nonvolatile silicones, oil agents, oil matter, oligosaccharides, organic acids, pantothenic acid and its derivatives, petroleum jelly, phosphatidyl ethanolamine, phosphatidylcholine, phospholipids, polysaccharides, polyvinyl alcohol, polypeptides, proteins, raffinose, saponins, sodium hyaluronate, sources of linoleic acid, sterols, sterol esters, stigmasterol, sucrose, sugar esters of higher fatty acids, sulphatide, sunscreens, surfactants, talc, thymosterol, tocopherol, mono-, di- or tri-glycerides, vitamins and analogues, vitamin E and/or its ester compounds, volatile silicone fluids, water-soluble moisture-retaining agents, water-soluble polymers and waxes.

- 10 The perfume ingredients used in the present invention can be used as the sole insect repellent in a composition or may be used in combination with other compounds which are effective insect repellents, including previously known insect repellent perfume ingredients.

Thus, a further aspect of the invention comprises a mixture the perfume ingredients described herein with a known insect repellent. Known insect repellents which are suitable for use in a mixture with at least one perfume ingredient used in the present invention include N,N-diethyl-m-toluamide (DEET); N,N-diethylbenzamide; citronella; Tolu balsam; Peru balsam; Eucalyptus oil; Huon pine oil; camphor; cypress oil; galbanum; diethyl phthalate; dimethyl phthalate; dibutyl phthalate; 1,2,3a,4,5,5a,6,7,8,9,9a,9b-dodecahydro-3a,6,6,9a-tetramethylnaphtho[2,1-b] furan; 4-(tricyclo[5.2.1.0<sup>2,6</sup>]decylidene-8)butanal; 1-ethoxy-1-(2'-phenylethoxy)ethane; acetyl cedrene and propylidene phthalide.

A further composition according to the invention comprises a mixture of at least one of the aforementioned perfume ingredients and a further compound, said further compound being present in an amount which is sufficient to ensure that said further compound contributes to said composition an insect repellent effect equivalent to a repellency of at least 10% as determined by the insect repellency test defined in Example 1. Preferably, the further compound is present in said composition in an amount which is sufficient to ensure that said further compound contributes an insect repellent effect equivalent to a repellency of at least 20% as determined by said insect repellency test. More preferably, the insect repellent effect contributed by the further compound is equivalent to a repellency of at least 30%.

The invention is illustrated by the following non-limiting examples and by reference to Figure 1, which is a schematic representation of an apparatus suitable for testing compounds as insect repellents.



**EXAMPLE 1****Insect repellency test – Mosquitoes**

5 The effectiveness of the perfume ingredients as an insect repellent was tested using an apparatus similar to that disclosed in PCT Application WO 96/08147 and illustrated in Figure 1. The method is described for testing of citral diethyl acetal but can be adapted to test any other compound in place of citral diethyl acetal.

10 Four test chambers were prepared using 300 mm 200 gauge layflat tubing. The synthetic plastics tubing was attached to oblong stainless steel frames (150 mm by 150 mm by 900 mm) using double-sided adhesive tape. 200 mm squares of cotton netting were used to cover the ends of the chambers and were secured using adhesive tape.

15 Mosquitoes (naive insects of the species *Aedes aegypti*, 4 to 7 days old) were introduced into each chamber 8 and the chambers 8 were kept in a separate room until the test was ready to begin.

The exhaust fan which vents the room in which the test was performed was switched on.

20 Four targets 5 (only two shown) were prepared as follows: double layers of semi-porous membrane were stretched over the open ends of four open ended glassware bulbs (diameter of open end 43 mm) and secured using elastic bands. Testing was carried out at 27° C. The membranes were kept moist and warmed above the ambient temperature throughout the test by passing a supply of water (at 34° C) through the glassware bulbs, so as to contact the inner surface of the membranes.

25 Citral diethyl acetal (30 microlitres) was applied to a membrane and spread as evenly as possible across the membrane surface. This was repeated with two other membranes and the fourth membrane was left untreated as a control.

30 The chambers 8 containing the mosquitoes were positioned so that each chamber had one netting end pressed against one of the targets 5. Glass partitions in the form of a cross 6 were used to separate each target 5 and chamber end from its neighbour.

35 600 mm 200 gauge layflat tubing was used to connect the various elements as shown in Figure 1. Air was forced by an inlet fan (not shown) over the filters 2, 3, over the targets 5, and through the test chambers containing the mosquitoes. The separation of the membranes ensured that air passing over a particular membrane would pass through only one test chamber 8.

The filters 2, 3 were used to remove volatile elements from the air passing over the mosquitoes; filter 2 contained activated charcoal and filter 3 contained a molecular sieve (Union Carbide type 5A

zeolite). The material in each filter 2, 3 was held within the cells of a 25 mm thick sheet of aluminium honeycomb sandwiched between two sheets of stainless steel mesh held in an aluminium frame. The filters 2,3 were bolted by their frames to the inside of an aluminium tunnel such that air passing along the tunnel passed through the filters 2, 3.

5

Four cameras 9 (only two shown) positioned downwind of the test chambers 8 were each focused onto a particular target 5, and the images produced by the cameras displayed on a single monitor 15 by means of a quad splitter 13. An electronic timer was used to project the date and time onto the screen, and the video recorder 14 was used to record the data.

10

The mosquitoes in the test chambers 8 were activated by introduction of a human breath stimulus upwind of the targets 5 and the number of insects attempting to bite each target 5 over the next ten minute period was recorded. After ten minutes, the recording was stopped and the test chambers 8 removed from their position immediately downwind of the targets 5.

15

The targets 5 were left untouched (although still warmed and moistened) for one hour with the fans switched on, after which time the test chambers 8 were re-introduced and the test repeated to determine the repellency of the citral diethyl acetal one hour after application.

20

The numbers of mosquitoes attempting to bite each of the targets 5 was noted every 10 seconds throughout each ten minute recording period. The 60 readings were used to produce a figure for the mean number of insects biting each target 5 during the ten minute test periods. The reading obtained for the untreated target 5 was used to give a measure of the basic avidity of the mosquitoes used in the test and this was taken into account when analysing the results.

25

## **EXAMPLE 2**

### **Insect repellency test - Cockroaches**

A set of ten containers was prepared, each approximately 300 mm x 150 mm x 100 mm. Each contained two refuges made from small plastic plant pots approximately 40 mm x 40 mm x 40 mm with a doorway approximately 20 mm x 15 mm. The inside of one refuge was treated with gpc base (formulation below) containing the test material. The second refuge was treated with unperfumed gpc base. A small quantity of food and water was placed in each container. A single cockroach (*periplaneta americana*) was placed into each of the ten containers and the normal daily light/dark cycle followed for 24 hours. The cockroaches were of mixed age and gender. At the end of the cycle, when the lights were on, the positions of the cockroaches were noted.

30

35

0 or 1 cockroaches in the test refuges was classified as good repellent,  
2 cockroaches in the test refuges was classified as moderate repellent, and  
3 or more cockroaches in the test refuges was classified as not repellent.

If 2 or fewer cockroaches were in the test refuge and more than 2 were outside either refuge the  
5 test was repeated.

Gpc formulation

	<u>Weight %</u>
Dobanol 91-5	5.0
10 Polyacrylic acid	0.2
Butyl digol	3.0
Sodium cumene sulphonate	1.0
Perfume ingredient	1.0
Water	89.8

**CLAIMS**

1. The use of at least one perfume ingredient selected from the group consisting of citral diethyl acetal, tricyclodecenyl allyl ether, 2-(2-methylpropyl)-4-hydroxy-4-methyltetrahydropyran, N-methyl-N-phenyl-2-methylbutanamide, 4-isobutyrate-3-methoxybenzaldehyde, 1-hydroxy-2-methoxy-4-propenyl benzene, 2,2,7,7-tetramethyltricyclo[6.2.1.0<sup>1,6</sup>]undecan-5-one, 7-formyl-5-isopropyl-2-methylbicyclo[2.2.2]oct-2-ene, 3-methyl-5-phenylpentanal, alpha iso methyl ionone, myrcenyl acetate, 10-isopropyl-2,7-dimethyloxaspiro [4.5] 3,6-decadiene, tricyclo[5.2.1.0<sup>2,6</sup>]dec-4-en-8-yl 2,2-dimethylpropanoate, 2-phenylethyl pivalate and 2,4-dimethyl-4-phenyltetrahydrofuran as an insect repellent.
2. The use of the perfume ingredients according to claim 1 in a composition which comprises in the range from 0.1 per cent to 40 per cent by weight of at least one, preferably 3 or 4, of the perfume ingredients.
3. The use of the perfume ingredients according to claim 2 wherein at least one of the perfume ingredients in the composition has a hydrophobicity such that the common logarithm of the octanol-water partition coefficient, log P, of the perfume ingredient is in the range 1.0 to 6.0.
4. The use of the perfume ingredients according to claim 2 or 3 wherein at least one of the perfume ingredients in the composition has a Kovats index in the range 1150 to 1650.
5. The use of the perfume ingredients according to claim 2, 3 or 4 wherein at least one of the perfume ingredients in the composition has a capability of forming hydrogen bonds of greater than 60 on the Koppel Pal'm scale.
6. A method of repelling insects from an object or airspace comprising application to the object or into the airspace of an effective amount of at least one perfume ingredient selected from the group consisting of citral diethyl acetal, tricyclodecenyl allyl ether, 2-(2-methylpropyl)-4-hydroxy-4-methyltetrahydropyran, N-methyl-N-phenyl-2-methylbutanamide, 4-isobutyrate-3-methoxybenzaldehyde, 1-hydroxy-2-methoxy-4-propenyl benzene, 2,2,7,7-tetramethyltricyclo[6.2.1.0<sup>1,6</sup>]undecan-5-one, 7-formyl-5-isopropyl-2-methylbicyclo[2.2.2]oct-2-ene, 3-methyl-5-phenylpentanal, alpha iso methyl ionone, myrcenyl acetate, 10-isopropyl-2,7-dimethyloxaspiro [4.5] 3,6-decadiene, tricyclo[5.2.1.0<sup>2,6</sup>]dec-4-en-8-yl 2,2-dimethylpropanoate, phenylethyl pivalate and 2,4-dimethyl-4-phenyltetrahydrofuran.

7. The use of a perfume composition comprising at least one perfume ingredient selected from the group consisting of citral diethyl acetal, tricyclodecenyl allyl ether, 2-(2-methylpropyl)-4-hydroxy-4-methyltetrahydropyran, N-methyl-N-phenyl-2-methylbutanamide, 4-isobutyrate-3-methoxybenzaldehyde, 1-hydroxy-2-methoxy-4-propenyl benzene, 2,2,7,7-tetramethyltricyclo[6.2.1.0<sup>1,6</sup>]undecan-5-one, 7-formyl-5-isopropyl-2-methylbicyclo[2.2.2]oct-2-ene, 3-methyl-5-phenylpentanal, alpha iso methyl ionone, myrcenyl acetate, 10-isopropyl-2,7-dimethyloxaspiro [4.5] 3,6-decadiene, tricyclo[5.2.1.0<sup>2,6</sup>]dec-4-en-8-yl 2,2-dimethylpropanoate, phenylethyl pivalate and 2,4-dimethyl-4-phenyltetrahydrofuran as an insect repellent.
8. The use of a composition according any one of claims 2 to 5 and 7 wherein said composition comprises a personal product, a cosmetic or a household product.
9. The use of a composition according to claim 8 wherein said composition comprises a fine fragrance, a cologne, a skin cream, a skin lotion, a deodorant, a talc, a bath oil, a soap, a shampoo, a hair conditioner, a styling agent, an air freshener, a hard surface cleaner or a laundry product.
10. The use of a composition according to either one of claims 8 and 9 wherein said personal product, cosmetic or household product contains between 0.1 per cent and 20 per cent by weight of the composition used according to any one of claims 2 to 5, 7 and 8.
11. The use of a composition according to any one of claims 2 to 5 and 7 to 10 to repel insects, especially mosquitoes and cockroaches.
12. A composition for use as an insect repellent comprising a mixture of a known insect repellent and at least one perfume ingredient selected from the group consisting of citral diethyl acetal, tricyclodecenyl allyl ether, 2-(2-methylpropyl)-4-hydroxy-4-methyltetrahydropyran, N-methyl-N-phenyl-2-methylbutanamide, 4-isobutyrate-3-methoxybenzaldehyde, 1-hydroxy-2-methoxy-4-propenyl benzene, 2,2,7,7-tetramethyltricyclo[6,2,1,0<sup>1,6</sup>]undecan-5-one, 7-formyl-5-isopropyl-2-methylbicyclo[2.2.2]oct-2-ene, 3-methyl-5-phenylpentanal, alpha iso methyl ionone, myrcenyl acetate, 10-isopropyl-2,7-dimethyloxaspiro [4.5] 3,6-decadiene, tricyclo[5.2.1.0<sup>2,6</sup>]dec-4-en-8-yl 2,2-dimethylpropanoate, phenylethyl pivalate and 2,4-dimethyl-4-phenyltetrahydrofuran.
13. A composition according to claim 12 in which the known insect repellent is selected from the group consisting of N,N-diethyl-m-toluamide (DEET); N,N-diethylbenzamide; citronella; Tolu balsam; Peru balsam; Eucalyptus oil; Huon pine oil; camphor; cypress oil; galbanum; diethyl phthalate; dimethyl phthalate; dibutyl phthalate; 1,2,3a,4,5,5a,6,7,8,9,9a,9b-dodecahydro-3a,6,6,9a-tetramethylnaphtho [2,1-b] furan; 4-(tricyclo [5.2.1.0<sup>2,6</sup>] decylidene-8) butanal; 1-ethoxy-1-(2'-phenylethoxy) ethane; acetyl cedrene and propylidene phthalide.

14. A composition for use as an insect repellent comprising a mixture of at least one perfume ingredient selected from the group consisting of citral diethyl acetal, tricyclodecenyl allyl ether, 2-(2-methylpropyl)-4-hydroxy-4-methyltetrahydropyran, N-methyl-N-phenyl-2-methylbutanamide, 4-isobutyrate-3-methoxybenzaldehyde, 1-hydroxy-2-methoxy-4-propenyl benzene, 2,2,7,7-tetramethyltricyclo[6,2,1,0<sup>1,6</sup>]undecan-5-one, 7-formyl-5-isopropyl-2-methylbicyclo[2.2.2]oct-2-ene, 3-methyl-5-phenylpentanal, alpha iso methyl ionone, myrcenyl acetate, 10-isopropyl-2,7-dimethyloxaspiro [4.5] 3,6-decadiene, tricyclo[5.2.1.0<sup>2,6</sup>]dec-4-en-8-yl 2,2-dimethylpropanoate, phenylethyl pivalate and 2,4-dimethyl-4-phenyltetrahydrofuran and a further compound, said further compound being present in an amount such that said further compound contributes to said composition an insect repellent effect equivalent to a repellency of at least 10 percent as determined by the insect repellency test defined in Example 1.




Fig. 1.

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 99/03107

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 A01N35/02

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	CHEMICAL ABSTRACTS, vol. 123, no. 7, 14 August 1995 (1995-08-14) Columbus, Ohio, US; abstract no. 77176, SHIMIZU, TOMOMITSU ET AL: "Insect repellent for protecting textile materials" XP002126031 abstract & JP 07 112907 A (ST CHEMICAL CO LTD, JAPAN) 2 May 1995 (1995-05-02) --- -/--	1-14

☒ Further documents are listed in the continuation of box C.

☐ Patent family members are listed in annex.

\* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

17 December 1999

Date of mailing of the international search report

11/01/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Fort, M



# INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 99/03107

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>DATABASE WPI Derwent Publications Ltd., London, GB; AN 1998-266958 XP002126034 ST KAGAKU KK: "Moth proofing agent- comprises terpene type compounds and paradichlorobenzene, naphthalene or pyrethroid compounds " abstract &amp; JP 10 087407 A</p>	1-14
X	<p>CHEMICAL ABSTRACTS, vol. 110, no. 9, 27 February 1989 (1989-02-27) Columbus, Ohio, US; abstract no. 71150, OKADA, ISAO: "Cockroach repellents containing 1-propenylbenzenes" XP002126032 abstract &amp; JP 63 188603 A (HASEGAWA, T., CO., LTD., JAPAN) 4 August 1988 (1988-08-04)</p>	1-14
X	<p>CHEMICAL ABSTRACTS, vol. 130, no. 7, 15 February 1999 (1999-02-15) Columbus, Ohio, US; abstract no. 77454, NGOH, SHAY P. ET AL: "Insecticidal and repellent properties of nine volatile constituents of essential oils against the American cockroach, Periplaneta americana (L.)" XP002126033 abstract &amp; PESTIC. SCI. (1998), 54(3), 261-268 ,</p>	1-14
X	<p>DATABASE WPI Derwent Publications Ltd., London, GB; AN 1998-266960 XP002126035 FUJII M.: "Repellent control composition for epidermic mites- containing one or more of a wide range of active components" abstract &amp; JP 10 087409 A</p>	1-14

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 99/03107

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
JP 7112907 A	02-05-1995	NONE	